

L Number	Hits	Search Text	DB	Time stamp
3	6	logical with data with storage with peripheral and remot\$4 and secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:03
4	2	logical with data with storage with peripheral and remot\$4 and secur\$4 and dedicat\$4 with (storage device disk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:04
5	2	logical with data with storage with peripheral and remot\$4 and secur\$4 and dedicat\$4 with (storage device memory disk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:06
6	2	logical with data with storage with peripheral and remot\$4 and secur\$4 and dedicat\$4 with (storage device memory disk) and controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:06
7	2	logical with data with storage with peripheral and remot\$4 and secur\$4 and dedicat\$4 with (storage \memory disk) and controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:06
8	2	logical with data with storage with peripheral and remot\$4 and secur\$4 and dedicat\$4 with (storage memory disk) and controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:06
-	23279	remot\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:31
-	706	remot\$4 with storage and dedicat\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:41
-	272	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:32
-	151	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:32
-	41	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:33
-	25	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:33
-	3	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:34
-	5	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:34
-	23	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:35
-	19	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect\$4 with storage and transmit\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:35

-	19	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:36
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:36
-	0	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and grant\$4 with access with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	0	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and grant\$4 with access\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	1	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with address with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:38
-	11	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location) with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:38
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	2	("5892900" "5388260").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 09:18
-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:53

-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:53
-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	1	("5892900" "5388260").pn. and remot\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	147	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	122	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	97	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	56	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:56
-	44	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:56
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:57
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:13
-	3	("6370614" "6584466" "6427032" "6356941" "5495607" "5321816").pn. and client with computer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:11
-	6	("6370614" "6584466" "6427032" "6356941" "5495607" "5321816").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:10
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:51
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identif\$6) and access\$4 with storage and storage with address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:49

-	19	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and transmit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:51
-	20	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and transmit\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:57
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:09
-	23	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:42
-	2	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage with dedicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 13:54
-	1	5754170.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 13:40
-	16	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and logical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:14
-	3365	logical with storage with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:13
-	804	logical with storage with device and peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:13
-	600	logical with storage with device and peripheral with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:15

-	0	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and logical with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:15
-	130	logical with storage with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	8	logical with storage with peripheral and dedicate\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	12	logical with storage with peripheral and remote with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	4	logical with storage with peripheral and remote with storage and dedicated and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:22
-	0	logical with data with storage with peripheral and remote with storage and dedicated with storage and secure with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:22
-	60	logical with data with storage with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 13:03
-	2	logical with data with storage with peripheral and remote and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:24
-	9	logical with storage with peripheral and remote and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:27
-	9	logical with storage with peripheral and remote and secure and peripheral with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:30
-	6	logical with storage with peripheral and remote and secure and peripheral with storage and controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:30
-	147	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:42
-	45	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:42
-	25	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level and encrypt\$4 with security	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:43
-	6	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level and encrypt\$4 with security with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:43
-	1	5671285.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 13:40

-	3	("5671285" "6067618" "6356941").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:18
-	3	("5671285" "6067618" "6356941").pn. and remot\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:18
-	2	("5671285" "6067618" "6356941").pn. and remot\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:18
-	2	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:19
-	2	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:19
-	1	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:25
-	1	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:27
-	1	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:29
-	0	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:30
-	0	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:30
-	1	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:32
-	1	("5671285" "6067618" "6356941").pn. and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4) and access\$4 with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:32

-	10	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4) and access\$4 with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:47
-	5	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4) and access\$4 with request\$4 and instruct\$4 with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:45
-	10	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage and remot\$4 with (data\$base storage) and (data\$base storage) with (id identif\$4) with user and dedicat\$4 with storage and user with (id identif\$4) and (query request\$4 access\$4) with (id identif\$4) and access\$4 with request\$4 and stor\$4 with (id identif\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:58
-	8246	dedicat\$4 with (data\$base storage)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 13:59
-	33	dedicat\$4 with (data\$base storage) with user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 16:27
-	30	dedicat\$4 with (data\$base storage) with user with (id identification) and stor\$4 with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 14:00
-	8	dedicat\$4 with (data\$base storage) with user with (id identification) and stor\$4 with (id identification) and instruct\$4 with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 15:17
-	22	dedicat\$4 with (data\$base storage) with (id identification) and stor\$4 with (id identification) and instruct\$4 with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 16:23
-	5	dedicat\$4 with (data\$base (storage adj device)) with (id identification) and stor\$4 with (id identification) and instruct\$4 with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 09:03

-	4	713/\$.ccls. and dedicat\$4 with (data\$base storage) with user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 16:28
-	2	707/\$.ccls. and dedicat\$4 with (data\$base storage) with user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 16:28
-	12	709/\$.ccls. and dedicat\$4 with (data\$base storage) with user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/08 16:29
-	2	dedicat\$4 with (data\$base (storage adj device)) with (id identification) and stor\$4 with (id identification) and instruct\$4 with (id identification) and access\$4 with (id identification) with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 10:06
-	5	dedicat\$4 with (data\$base (storage adj device)) with (id identification) and stor\$4 with (id identification) and instruct\$4 with (id identification) and access\$4 with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 09:07
-	5295	instruction with read\$only	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:47
-	7	instruction with read\$only and instruction with write\$only	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:47
-	4	instruction with read\$only and instruction with write\$only and instruction with read\$write	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:50
-	2	instruction with read\$only and instruction with write\$only and instruction with read\$write and stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:50
-	2	instruction with read\$only and instruction with write\$only and instruction with read\$write and stor\$4 and memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:50
-	2	instruction with read\$only and instruction with write\$only and instruction with read\$write and stor\$4 and memory and dedicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:51
-	0	instruction with read\$only and instruction with write\$only and instruction with read\$write and stor\$4 and memory and dedicat\$4 with (stor\$4 memory) and remot\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 08:51
-	2	instruction with read\$only and instruction with write\$only and instruction with read\$write and stor\$4 and memory and dedicat\$4 with (stor\$4 memory)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:22
-	32	data adj file with security adj level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:23
-	16	data adj file with security adj level and encrypt\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:23
-	2	data adj file with security adj level and encrypt\$4 with stor\$4 with security adj level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:24

-	10	data adj file with security adj level and encrypt\$4 with security adj level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:25
-	9	data adj file with security adj level and encrypt\$4 with security adj level and encrypt\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:27
-	188	encrypt\$4 with security adj level and encrypt\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:27
-	59	encrypt\$4 with security adj level with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:28
-	31	data adj file and encrypt\$4 with security adj level with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:29
-	0	data adj file and encrypt\$4 with according with security adj level with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:28
-	0	data adj file and encrypt\$4 with accord\$4 with security adj level with stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:28
-	18	data adj file and encrypt\$4 with security adj level with stor\$4 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:35
-	1	data adj file and encrypt\$4 with security adj level with stor\$4 and user adj assign\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:36
-	127	user with assign\$4 with security adj level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:36
-	5	user with assign\$4 with security adj level and encrypt\$4 with security adj level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:36
-	3	user with assign\$4 with security adj level and encrypt\$4 with security adj level and stor\$4 with encrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/10 09:37